

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Prista ANTIFREEZE
Product code	: TA002/01B-S
Type of product	: Antifreeze
Synonyms	: Antifreeze
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Consumer use, Professional use
Industrial/Professional use spec	: Distribution Formulation & (re)packing of substances and mixtures
Use of the substance/mixture	: Use in functional fluids Anti-freezing agent

1.2.2. Uses advised against

Restrictions on use	: Comply with instructions for use (refer to technical sheet)
---------------------	---

1.3. Details of the supplier of the safety data sheet

Supplier

Prista Oil Holding EAD
46 Treti Mart Blvd.
7002 Ruse – Bulgaria
Bulgaria
T + 359 82 82 69 40
information@prista-oil.bg - <http://www.prista-oil.com/en>

1.4. Emergency telephone number

Emergency number	: Unified emergency number: 112
------------------	---------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Specific target organ toxicity – Repeated exposure, Category 2	H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause damage to organs (central nervous system, kidneys) through prolonged or repeated exposure (inhalation, oral).

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	:		
		GHS07	GHS08
Signal word (CLP)	:	Warning	

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: ethanediol; ethylene glycol
Hazard statements (CLP)	: H302 - Harmful if swallowed. H373 - May cause damage to organs (kidneys, central nervous system) through prolonged or repeated exposure (if inhaled, oral).
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read carefully and follow all instructions. P260 - Do not breathe vapours. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves. P301+P312 - IF SWALLOWED: Call a POISON CENTER, doctor if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P330 - Rinse mouth. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Not applicable
Tactile warning	: Applicable

2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
ethanediol; ethylene glycol (107-21-1)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
Prista Deionized water (7732-18-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : CLP Calculation method

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Prista Deionized water	CAS-No.: 7732-18-5 EC-No.: -	< 50	Not classified
ethanediol; ethylene glycol	CAS-No.: 107-21-1 EC-No.: 203-473-3 REACH-no: 01-2119456816-28	< 49	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373
Sodium 2-ethylhexanoate	CAS-No.: 19766-89-3 EC-No.: 243-283-8	0.45 – 1.2	Repr. 2, H361d

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1 EC-No.: 249-596-6 REACH-no: 01-2119979081-35	0.06 – 0.1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Chronic 2, H411

Comments : Full text of H-statements: see section 16
Exempted from REACH registration

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get immediate medical advice/attention.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Drink plenty of water. Get immediate medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Toxic if swallowed. Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. Difficulty in breathing. Blurred vision. Respiratory collapse. Antidote : Intravenous ethanol in sodium bicarbonate solution. For further assistance, contact a local hospital or Department of Health.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May be fatal if swallowed and enters airways.

Symptoms/effects after inhalation : May cause drowsiness or dizziness. May cause headache, nausea and irritation of respiratory tract.

Symptoms/effects after skin contact : Causes mild skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : May cause slight irritation. redness, itching, tears.

Symptoms/effects after ingestion : Toxic if swallowed. May cause drowsiness and loss of coordination. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Thirst. Convulsions. Prompt treatment is essential to minimize damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Do not fight fire when fire reaches explosives. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Eliminate every possible source of ignition. Do not handle until all safety precautions have been read and understood. Notify authorities if product enters sewers or public waters.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Do not breathe vapours, mist. Avoid contact with skin and eyes. No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate area. Stop release. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing vapours, mist. Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
- Incompatible products : Oxidizing agent.
- Incompatible materials : Sources of ignition.

7.3. Specific end use(s)

Product information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Ethylene glycol
IOEL TWA	52 mg/m ³
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m ³
IOEL STEL [ppm]	40 ppm
Remark	Skin

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

ethanediol; ethylene glycol (107-21-1)

DNEL/DMEL (Workers)

Long-term - local effects, dermal	106 mg/cm ²
Long-term - local effects, inhalation	35 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, dermal	53 mg/kg bodyweight/day
Long-term - local effects, inhalation	7 mg/m ³

PNEC (Water)

PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	10 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	20.9 mg/kg dwt
----------------------------	----------------

PNEC (Soil)

PNEC soil	1.53 mg/kg dwt
-----------	----------------

PNEC (STP)

PNEC sewage treatment plant	199.5 mg/l
-----------------------------	------------

Methyl-1H-benzotriazole (29385-43-1)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	8.8 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	0.25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	4.4 mg/m ³
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)	0.008 mg/l
------------------------	------------

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methyl-1H-benzotriazole (29385-43-1)

PNEC aqua (marine water)	0.008 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.0025 mg/kg dwt
PNEC sediment (marine water)	0.0025 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0024 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	39.4 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166. EN 168

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. protective gloves: neoprene gloves, PVA. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). EN 420

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 405

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour	: slight.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -38 °C
Boiling point	: > 110 °C
Flammability	: Not applicable
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
pH solution	: 8.4
Viscosity, kinematic	: 2.4 mm ² /s @40°C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: -1.36 not bioaccumulable
Vapour pressure	: < 0.06 mm Hg @20°C
Vapour pressure at 50°C	: Not available
Density	: 1.07 g/ml @20°C
Relative density	: Not available
Relative vapour density at 20°C	: > 2
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Other properties : Material is hygroscopic

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Prista ANTIFREEZE

ATE CLP (oral) 513.084 mg/kg bodyweight

ethanediol; ethylene glycol (107-21-1)

LD50 oral rat 7712 mg/kg (OECD 401 method)

LD50 oral 1.4 ml/kg Animals

LD50 dermal rat > 3500 mg/kg (OECD 402 method)

LD50 dermal rabbit 10600 mg/kg (OECD 402 method)

LC50 Inhalation - Rat > 2.5 mg/l/4h (OECD 403 method)

LC, Effects on humans, acute, oral, central nervous system 100 ml

Methyl-1H-benzotriazole (29385-43-1)

LD50 oral rat 720 mg/kg (OECD 401 method)

LD50 dermal rabbit > 2000 mg/kg (OECD 402 method)

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : When administered to pregnant rats by gavage or in drinking water, 2-EXA caused teratogenicity (birth defects) and delayed postnatal development of the pups. Additionally, 2-EXA impaired female fertility in rats. (Conclusive but not sufficient for classification)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : ethylene glycol. May cause kidney and liver disease, and disorders of the central nervous system

Additional information : 2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet.

ethanediol; ethylene glycol (107-21-1)

LOAEL (oral, rat, 90 days) 200 mg/kg bodyweight/day (OECD 407 method)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Sodium 2-ethylhexanoate (19766-89-3)

LOAEL (oral, rat, 90 days) 446 mg/kg bodyweight/day

NOAEL (oral, rat, 90 days) 100 – 600 mg/kg bodyweight/day (OECD 414 method)

Aspiration hazard : Not classified

Prista ANTIFREEZE

Viscosity, kinematic 2.4 mm²/s @40°C

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

ethanediol; ethylene glycol (107-21-1)

LC50 - Fish [1]	≥ 40761 mg/l (OECD 203 method)
LC50 - Fish [2]	≥ 72860 mg/l (OECD 203 method)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202 method)
EC50 72h - Algae [1]	9500 – 13000 mg/l (OECD 201 method)
NOEC chronic fish	15380 mg/l

Methyl-1H-benzotriazole (29385-43-1)

LC50 - Fish [1]	180 mg/l (OECD 201 method)
LC50 - Fish [2]	55 mg/l (OECD 201 method)
EC50 - Crustacea [1]	100 mg/l (OECD 202 method)
EC50 - Crustacea [2]	55 mg/l (OECD 202 method)
EC50 72h - Algae [1]	53 mg/l (OECD 203 method)

12.2. Persistence and degradability

Prista ANTIFREEZE

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

ethanediol; ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 94 % (OECD 301B method)

Methyl-1H-benzotriazole (29385-43-1)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 85 % (OECD 302B method)

12.3. Bioaccumulative potential

Prista ANTIFREEZE

Partition coefficient n-octanol/water (Log Kow)	-1.36 not bioaccumulable
---	--------------------------

ethanediol; ethylene glycol (107-21-1)

Partition coefficient n-octanol/water (Log Kow)	-1.36 not bioaccumulable
Bioaccumulative potential	not bioaccumulable.

Methyl-1H-benzotriazole (29385-43-1)

BCF - Fish [1]	0
BCF - Fish [2]	2.4 l/kg

12.4. Mobility in soil

No additional information available

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Prista ANTIFREEZE

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
European List of Waste (LoW) code	: 16 01 14* - antifreeze fluids containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	Prista ANTIFREEZE ; ethanediol; ethylene glycol ; Sodium 2-ethylhexanoate ; Methyl-1H-benzotriazole	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Methyl-1H-benzotriazole	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Regulatory information.

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer

Prista ANTIFREEZE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

PRISTA SDS design EU 2022

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.